2004 **GSI Drying Systems Portable Dryer Price List**

Effective: JUNE 28, 2004









INTRODUCING THE L SERIES OF GSI DRYERS



- Network Dryer Controls Standard
- HI-LO Fire Burner for Even Plenum Temperatures
- GSI Moisture Manager Standard Equipment
- Pressure Dry/Vacuum Cool, Full Heat Continuous Flow or Pressure Dry/Pressure Cool Drying Modes for flexibility in the drying process
- Heavy Duty 4" meter rolls with variable speed DC Drive
- 29" Fold-up Wet Bin Standard on these dryers
- Extremely Quiet Low Speed Centrifugal Fan
- See pages 6 & 7 for specifications and pricing

All screens, augers, bearings and sheet metal parts are the same as the 1100 Series dryers.

Only the electronic controls are different.

100 Series System

Full heat continuous flow or auto batch

Dry and cool auto batch

Full safety control system

See through control panel door

Load and unload auxiliary starters

Waterproof controls

Solid state ignition

Externally adjustable vaporizers

Low speed vane axial fans with Blue Burn System on LP models

Internal and external meter roll cleanout

Heavy duty meter rolls and drive

Solid dividers, every two feet

Galvanized fan housing, control cabinet and auger housing

Perforated wet bin standard on all models




Model	Electric	al Power			Approx	Wet Bus	hels Full at	Wet Bush Co	-
Number	Phase	Voltage	Fuel	List Price	Dryer Wt	10 pt.*	5 pt.*	10 pt.*	5 pt.*
108	1 or 3	ALL	ALL	\$31,970.00	4,300 lbs.	190	310	120	155
110	1 or 3	ALL	ALL	\$36,110.00	5,000 lbs.	240	385	150	200
112	1 or 3	ALL	ALL	\$38,870.00	6,300 lbs.	335	525	205	270
114	1 or 3	ALL	ALL	\$44,045.00	7,000 lbs.	390	610	245	320
116	1 or 3	ALL	ALL	\$47,610.00	7,500 lbs.	440	710	280	370
118	3	ALL	ALL	\$53,360.00	8,000 lbs.	505	815	320	430
120	3	ALL	ALL	\$57,155.00	8,700 lbs.	560	905	360	475
122	3	ALL	ALL	\$64,055.00	9,500 lbs.	610	990	390	520
126	3	ALL	ALL	\$73,255.00	11,000 lbs.	715	1,155	455	605

^{*} Measured in wet bushels per hour (BPH)

Add \$3500 list for GSI Moisture Manager Control when ordered with Dryer.

For CGA approval on above models add \$1100 list



Network Control System

Moisture Manager Standard on Dryer

Fan/Heater bypass

Every shutdown monitored and saved in the error shutdown history

Out of Grain--Unload Cleanout

Full heat continuous flow or auto batch

Remote capable control center

See through control panel door

Load and unload auxiliary starters

Low speed vane axial fans with Blue Burn System

Solid state ignition

Externally adjustable vaporizers

Internal and external meter roll cleanout

Heavy duty meter rolls and drive

Solid dividers, every two feet

Perforated wet bin standard

Waterproof controls




Model	Electric	al Power			Approx	Wet Bus		Wet Bush Co	-
Number	Phase	Voltage	Fuel	List Price	Dryer Wt	10 pt.*	5 pt.*	10 pt.*	5 pt.*
1108	1 or 3	ALL	ALL	\$40,020.00	4,300 lbs.	205	335	130	170
1110	1 or 3	ALL	ALL	\$44,160.00	5,000 lbs.	260	420	165	220
1112	1 or 3	ALL	ALL	\$46,920.00	6,300 lbs.	345	560	220	290
1114	1 or 3	ALL	ALL	\$52,095.00	7,000 lbs.	405	650	260	340
1116	1 or 3	ALL	ALL	\$55,660.00	7,500 lbs.	440	710	280	370
1118	3	ALL	ALL	\$61,410.00	8,000 lbs.	505	815	320	430
1120	3	ALL	ALL	\$65,205.00	8,700 lbs.	560	905	360	475
1122	3	ALL	ALL	\$72,105.00	9,500 lbs.	610	990	390	520
1126	3	ALL	ALL	\$81,305.00	11,000 lbs.	715	1,155	455	605

^{*} Measured in wet bushels per hour (BPH)

GSI Moisture Manager Comes Standard on these Dryers Deduct \$2500 list when not using Moisture Manager

For CGA approval on above models add \$1100 list



Network Control System

Moisture Manager Standard on dryer

All temps set at main control box

Watchdog remote monitoring system capable

Fan/Heater bypass

Every shutdown monitored and saved in the error shutdown history

Continuous flow or staged batch

Out of Grain--Unload Cleanout

Easily remoteable control center

Load and unload auxiliary starters

Galvanized fan housing, control cabinet and auger housing

Low speed vane axial fans, LP models have the exclusive "Blue Burn System"

Solid state ignition and flame sensing

Externally adjustable vaporizers

Internal and external meter roll cleanout


Heavy duty meter rolls and drive


Solid dividers, every two feet

Perforated wet bin standard

Waterproof controls







1200 Series

1200S Series


1200 SERIES


						Wet Bus	hels Full	Wet Bush	els Dry &
Model	Electric	al Power	_		Approx	He	at	Co	ol
Number	Phase	Voltage	Fuel	List Price	Dryer Wt	10 pt.*	5 pt.*	10 pt.*	5 pt.*
1214	1 or 3	ALL	LP or NG	\$62,215.00	7,600 lbs.	415	680	250	400
1216	1 or 3	ALL	LP or NG	\$65,665.00	8,200 lbs.	475	765	290	465
1218	1 or 3	ALL	LP or NG	\$73,140.00	9,000 lbs.	520	840	315	505
1220	1 or 3	ALL	LP or NG	\$78,545.00	9,800 lbs.	590	950	345	560
1222	3	ALL	LP or NG	\$85,100.00	10,500 lbs.	650	1,055	395	640
1226	3	ALL	LP or NG	\$97,750.00	12,000 lbs.	730	1,180	450	725
				1200S S	ERIES				
1214S	1 or 3	ALL	LP or NG	\$72,565.00	9,500 lbs.	381	680	220	325
1218S	1 or 3	ALL	LP or NG	\$83,490.00	11,500 lbs.	520	840	240	385
1220S	1 or 3	ALL	LP or NG	\$88,895.00	14,500 lbs.	590	950	280	425
1222S	1 or 3	ALL	LP or NG	\$95,450.00	15,500 lbs.	650	1,055	300	485
1226S	3	ALL	LP or NG	\$108,100.00	18,500 lbs.	730	1,180	375	600

^{*} Measured in wet bushels per hour (BPH)

GSI Moisture Manager Comes Standard on these Dryers Deduct \$2500 list when not using Moisture Manager

For CGA approval on 1200 and 1200S models add \$2200 list






l	6034
_	0034

Models	3020L	4026L	6034L	7534L	1038L
Dimensions - Include 29" fe	old-up wet bin				
Transport Length	29' 2"	35' 2"	43' 2"	43' 2"	47' 2"
Transport Width	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"
Transport Height	12' 10"	12' 10"	12' 10"	12' 10"	12' 10"
Installed Length	33' 3"	39' 3"	48' 9"	48' 9"	52' 9"
Installed Width	8' 0"	8' 0"	11' 0"	11' 0"	11' 0"
Width w/ heat reclaimer	11' 0"	11' 0"	11' 0"	11' 0"	11' 0"
Installed Height	17' 10"	17' 10"	17' 10"	17' 10"	17' 10"
Fans					
	CENTRIFUGAL	CENTRIFUGAL	CENTRIFUGAL	CENTRIFUGAL	CENTRIFUGAL
	30 HP	40 HP	60 HP	75 HP	100 HP
Heater(s) BTU/HR(MM)	7	9	12	12	12
Augers					
Top Auger (HP/BPH)	7.5 HP/2800	10 HP/2800	10 HP/2800	10 HP/2800	15 HP/2800
Bottom Auger (HP/BPH)	7.5 HP/1360	7.5 HP/1770	10 HP/2315	10 HP/2315	10 HP/2585
Metering Roll Drive	1/3 HP DC SCR	1/3 HP DC SCR	1/3 HP DC SCR	1/3 HP DC SCR	1/3 HP DC SCR

•					
Electrical Load(MRA)	1	Excludes auxiliary	load and unload	equipment amps	3
Three Phase 230 Volt	117	155	205	240	310
Three Phase 460 Volt	59	78	103	120	155
Holding Capacity (Total)	595	775	1010	1010	1129
Holding Capacity (Column)	460	600	781	781	873



7534L

Network Controls

HI-LO Plenum Temperature control

GSI Moisture Manager now standard equipment

Out of Grain--Unload Cleanout

Pressure Dry/Vacuum Cool, Full heat continuous flow or Pressure Dry/Pressure Cool drying modes

Load and unload auxiliary starters

Extremely Quiet Low speed Centrifugal fan

Solid state ignition


Externally adjustable vaporizers

Internal and external meter roll cleanout

Heavy duty 4" meter rolls and variable speed drive

Solid dividers, every two feet

29" Fold-up wet bin standard



3020L

Model	Electric	al Power		Column		Approx	Wet Bu		Wet Bu		Wet Bu	
Number	Phase	Voltage	Fuel	Length	List Price	Dryer Wt	10 pt.*	5 pt.*	10 pt.*	5 pt.*	10 pt.*	5 pt.*
3020L	3	ALL	ALL	20	\$105,225.00	11,500 lbs.	550	945	332	573	350	595
4026L	3	ALL	ALL	26	\$126,730.00	13,700 lbs.	720	1220	431	745	455	774
6034L	3	ALL	ALL	34	\$147,775.00	18,500 lbs.	940	1610	563	973	585	1010
7534L	3	ALL	ALL	34	\$148,925.00	18,600 lbs.	980	1680	589	1017	620	1070
1038L	3	ALL	ALL	38	\$155,365.00	20,200 lbs.	1100	1900	668	1155	700	1210

^{*} Measured in wet bushels per hour (BPH)


on these Dryers Deduct \$2500 list when

GSI Moisture Manager Comes Standard not using Moisture Manager



1038L

For CGA approval on above add \$1100 list.




L Series Dryers


STACKABLE SERIES MODELS 2300 SERIES

Model	Flactrics						nels Full		els Dry &
WIOGE	Liecuita	I Power	_		Approx	He	at	Co	ol
Number	Phase	Voltage	Fuel	List Price	Dryer Wt	10 pt.*	5 pt.*	10 pt.*	5 pt.*
2314	1 or 3	ALL	LP or NG	\$104,075.00	16,000 lbs.	900	1,455	615	995
2318	3	ALL	LP or NG	\$119,600.00	19,000 lbs.	1,120	1,805	770	1,235
2320	3	ALL	LP or NG	\$131,100.00	21,000 lbs.	1,245	2,010	850	1,375
2322	3	ALL	LP or NG	\$139,150.00	22,500 lbs.	1,355	2,195	930	1,500
2326	3	ALL	LP or NG	\$156,285.00	25,000 lbs.	1,670	2,700	1,130	1,835
				2400 S	ERIES				
2414	1 or 3	ALL	LP or NG	\$116,725.00	16,500 lbs.	900	1,455	615	995
2418	1 or 3	ALL	LP or NG	\$128,800.00	19,500 lbs.	1,120	1,805	770	1,235
2420	3	ALL	LP or NG	\$139,725.00	21,500 lbs.	1,245	2,010	850	1,375
2422	3	ALL	LP or NG	\$150,650.00	23,500 lbs.	1,355	2,195	930	1,500
2426	3	ALL	LP or NG	\$174,685.00	26,000 lbs.	1,670	2,700	1,130	1,835

^{*} Measured in wet bushels per hour (BPH)

GSI Moisture Manager Comes Standard on these Dryers Deduct \$2500 list when not using Moisture Manager





Pedestal Bases for Stack Stiffner Supports included in List Price of Dryer.

Standard on all Stack Dryers.

D01-1100** 36" Base Unit
LEG-036*** 36" Tall Leg

Available for all Stack Dryers D01-1104** 18" Base Unit LEG-018*** 18" Tall Leg

For CGA approval on 2300 add \$3300 list, add \$4400 for 2400

^{**6} required on 12' & 14' series.

⁸ required on 18' series

¹⁰ required on 20' & 22' series.

¹² required on 26' series.


^{***4} required on 14', 18', 22' & 26' 2 required on 12' & 20' series.


STACKABLE SERIES MODELS 3300 SERIES


Model	Electric	al Power	_		Approx	Wet Bush	nels Full	Wet Bush	els Dry &
Number	Phase	Voltage	Fuel	List Price	Dryer Wt	10 pt.*	5 pt.*	10 pt.*	5 pt.*
3312	1 or 3	ALL	LP or NG	\$137,051.00	22,000 lbs.	1,045	1,690	640	1,035
3314	1 or 3	ALL	LP or NG	\$149,126.00	23,000 lbs.	1,355	2,190	840	1,340
3318	3	ALL	LP or NG	\$176,054.00	28,500 lbs.	1,680	2,720	1,035	1,665
3320	3	ALL	LP or NG	\$191,027.00	28,500 lbs.	1,825	2,950	1,120	1,800
3322	3	ALL	LP or NG	\$203,705.00	30,000 lbs.	2,040	3,300	1,250	2,015
3326	3	ALL	LP or NG	\$229,425.00	34,000 lbs.	2,475	4,000	1,520	2,445
				3400 S	ERIES				
3414	1 or 3	ALL	LP or NG	\$155,164.00	23,000 lbs.	1,355	2,190	840	1,340
3418	3	ALL	LP or NG	\$182,091.00	26,500 lbs.	1,680	2,720	1,035	1,665
3420	3	ALL	LP or NG	\$197,064.00	29,500 lbs.	1,825	2,950	1,120	1,800
3422	3	ALL	LP or NG	\$209,743.00	30,500 lbs.	2,040	3,300	1,250	2,015
3426	3	ALL	LP or NG	\$235,463.00	35,000 lbs.	2,475	4,000	1,520	2,445
				3600 S	ERIES				
3614	1 or 3	ALL	LP or NG	\$167,239.00	24,000 lbs.	1,355	2,190	840	1,340
3618	1 or 3	ALL	LP or NG	\$194,166.00	28,000 lbs.	1,680	2,720	1,035	1,665
3620	3	ALL	LP or NG	\$209,139.00	31,000 lbs.	1,825	2,950	1,120	1,800
3622	3	ALL	LP or NG	\$221,818.00	33,000 lbs.	2,040	3,300	1,250	2,015
3626	3	ALL	LP or NG	\$254,783.00	38,000 lbs.	2,475	4,000	1,520	2,445

^{*} Measured in wet bushels per hour (BPH)

GSI Moisture Manager Comes Standard on these Dryers Deduct \$2500 list when not using Moisture Manager







Pedestal Bases for Stack Stiffner Supports included in List Price of Dryer.

Standard on all Stack Dryers. D01-1100** 36" Base Unit LEG-036*** 36" Tall Leg

Available for all Stack Dryers D01-1104** 18" Base Unit LEG-018*** 18" Tall Leg

For CGA approval on 3300 add \$3300 list, add \$4400 for 3400, and add \$6600 for 3600 model dryers

For small grain perforations (0.050") add 2% to list price of dryer

Prices and specifications subject to change without notice. All items F. O. B. Newton, Illinois.

JUNE 28. 2004

^{**6} required on 12' & 14' series. 8 required on 18' series 10 required on 20' & 22' series. 12 required on 26' series.

^{***4} required on 14', 18', 22' & 26' 2 required on 12' & 20' series.

	STAINLESS STEEL TRASH PAN		
Part Number		List Price	
TP-08	Trash Pan Kit, 8' Dryer	\$208.00	
TP-10	Trash Pan Kit, 10' Dryer	\$259.00	
TP-12	Trash Pan Kit, 12' Dryer	\$300.00	
TP-14	Trash Pan Kit, 14' Dryer	\$443.00	
TP-16	Trash Pan Kit, 16' Dryer	\$493.00	
TP-18	Trash Pan Kit, 18' Dryer	\$532.00	
TP-20	Trash Pan Kit, 20' Dryer	\$583.00	
TP-22	Trash Pan Kit, 22' Dryer	\$726.00	
TP-26	Trash Pan Kit, 26' Dryer	\$815.00	
TP-34	Trash Pan Kit, 34' Dryer	\$1,066.00	
TP-38	Trash Pan Kit, 38' Dryer	\$1,191.00	

	WET	BIN		Additional Price For
		Galvanized Steel	Stainless Steel	Stainless Wet Bin on
	Dryer Length	List Price	List Price	Dryers With Wet Bin
All dryers (except L series) are	8 ft.	\$865.00	\$1,371.00	\$506.00
equipped with 13" Low Profile wet	10 ft.	\$1,081.00	\$1,714.00	\$633.00
bins as standard equipment, L	12 ft.	\$1,297.00	\$2,056.00	\$759.00
Series have 29" wet bin as stan-	14 ft.	\$1,513.00	\$2,399.00	\$886.00
dard equipment. To price with a	16 ft.	\$1,730.00	\$2,742.00	\$1,012.00
standard top please deduct the gal-	18 ft.	\$1,946.00	\$3,084.00	\$1,138.00
vanized steel list price from price of	20 ft.	\$2,162.00	\$3,427.00	\$1,265.00
dryer.	22 ft.	\$2,378.00	\$3,770.00	\$1,392.00
•	26 ft.	\$2,811.00	\$4,455.00	\$1,644.00
Wet Bin prices are in lieu of stan-	L Series 20 ft	\$3,887.00	\$6,164.00	\$2,277.00
dard top.	L Series 26 ft	\$5,053.00	\$8,013.00	\$2,960.00
·	L Series 34 ft	\$6,608.00	\$10,479.00	\$3,871.00
	L Series 38 ft	\$7,385.00	\$11,712.00	\$4,327.00

STAINLESS STEEL PRICING

	Column	All Outside	Top Outside	Top & Sides	*Rice Option All Inside
Model	Length	Screens	Only	Outside Only	& Outside Screens
108, (short sides)	8	\$1,902.00	\$616.00	\$1,117.00	\$3,411.00
110, (short sides)	10	\$2,372.00	\$773.00	\$1,389.00	\$4,625.00
112	12	\$3,182.00	\$923.00	\$1,993.00	\$4,932.00
114, 1214, 1214S	14	\$3,713.00	\$1,087.00	\$2,343.00	\$7,282.00
116, 1216	16	\$4,245.00	\$1,237.00	\$2,675.00	\$8,332.00
118, 1218, 1218S	18	\$4,770.00	\$1,389.00	\$3,007.00	\$9,359.00
120, 1220, 1220S, 3020L	20	\$5,307.00	\$1,551.00	\$3,351.00	\$10,414.00
122, 1222, 1222S	22	\$5,839.00	\$1,703.00	\$3,682.00	\$11,441.00
126, 1226, 1226S, 4026L	26	\$6,895.00	\$2,010.00	\$4,360.00	\$13,513.00
6034L, 7534L	34	\$9,022.00	\$2,620.00	\$5,670.00	\$17,634.00
1038L	38	\$10,083.00	\$2,928.00	\$6,337.00	\$19,709.00
		Complete	Partial 1	Partial 2	
2314, 2414	14	\$7,427.00	\$4,800.00	-	\$14,659.00
2318, 2418	18	\$9,539.00	\$6,158.00	-	\$18,837.00
2320, 2420	20	\$10,615.00	\$6,859.00	-	\$20,927.00
2322, 2422	22	\$11,677.00	\$7,547.00	-	\$23,112.00
2326, 2426	26	\$13,795.00	\$8,906.00	-	\$27,290.00
3312	12	\$9,539.00	-	\$5,181.00	\$18,596.00
3314, 3414, 3614	14	\$11,146.00	-	\$6,062.00	\$22,339.00
3318, 3418, 3618	18	\$14,321.00	-	\$7,789.00	\$28,449.00
3320, 3420, 3620	20	\$15,915.00	-	\$8,658.00	\$31,625.00
3322, 3422, 3622	22	\$17,509.00	-	\$9,528.00	\$34,776.00
3326, 3426, 3626	26	\$20,697.00	-	\$11,260.00	\$41,079.00

Partial 1: All outside screens of top module and top outside angle of bottom module.

Partial 2: All outside screens of top module and top and side outside screens of middle module.

Small grain perforations (0.050") not available in stainless steel. *GSI recommends this option for drying rice.

GRAIN SAMPLER

Item
Grain Sampler
(Standard on new dryer)

Part Number D01-0405 List Price \$90.00

HEAT RECLAIMER

	.	De (N. ed.)	List Balan
1200 Series	Dryer	Part Number	List Price
1200 Series	1214	1214-HR01	\$6,843.00
	1216	1216-HR01	\$7,107.00
	1218	1218-HR01	\$7,314.00
	1220	1220-HR01	\$7,556.00
	1222	1222-HR01	\$7,843.00
	1226	1226-HR01	\$9,304.00
2000 Series			
	12 ft.	2012-HR01	\$14,352.00
	14 ft.	2014-HR01	\$15,157.00
	18 ft.	2018-HR01	\$16,997.00
	20 ft.	2020-HR01	\$17,871.00
	22 ft.	2022-HR01	\$18,745.00
0000 0	26 ft.	2026-HR01	\$20,505.00
3000 Series	12 ft.	2042 LID04	C10 075 00
	1∠ II. 14 ft.	3012-HR01 3014-HR01	\$18,975.00 \$20,367.00
	14 II. 18 ft.	3014-HR01 3018-HR01	\$20,367.00
	20 ft.	3020-HR01	\$23,437.00
	20 ft.	3022-HR01	\$24,553.00
	26 ft.	3026-HR01	\$26,508.00
L Series (Vacu			Ψ=0,000.00
L Oches (Vacat	20 ft.	HR-3020L	\$3,496.00
	26 ft.	HR-4026L	\$4,209.00
	34 ft.	HR-6034L	\$4,945.00
	38 ft.	HR-1038L	\$9,718.00

NOISE SUPPRESSOR KIT

Dryer 108, 110, 112, 114, 116, 118, 120, 122, 126	Part Number 1100-NS01	List Price \$1,599.00
1214, 1216, 1218, 1220, 1222, 1226	1200-NS01	\$2,990.00
12, 14, 18, 20, 22, & 26 ft. stacked series	1200S-NS01 2000-NS01 3000-NS01	\$5,382.00 \$9,039.00 \$12,754.00
All Multi Fan Models With Heat Reclaimer	1200-NSHR 2000-NSHR 3000-NSHR	\$1,794.00 \$5,187.00 \$8,901.00

MOISTURE MANAGER

Part Number

DO4-0379

Moisture control when purchased seperately for retrofit. Includes printer and Sampler

List Price \$6050.00

SHRINK WRAP	
For Dryer Transport	

Column Length	Part Number	Net Price After Cash
8'-10'	SHRINK-10	\$236.00
12'-18'	SHRINK-18	\$368.00
20'-26'	SHRINK-26	\$499.00
34'-38'	SHRINK-38	\$691.00

DISCHARGE AUGER EXTENSION

10" Diameter Tube	Part Number	List Price
2'	CD-AE02A	\$520.00
4'	CD-AE04A	\$700.00
6'	CD-AE06A	\$858.00
8'	CD-AE08A	\$1,038.00
Fill Extension	MF-AE02L	\$665.00

Discharge Box Bypass
In lieu of Standard

D01-1172

\$55.00

Any length needed is available. Call factory for quotation.

TRANSPORT KIT

Item	Model	Part Number	List Price
Transport Kit	8-10 ft. series	TK-01-B	\$2,053.00
	12 ft. series	TK-02-B	\$3,502.00
	14, 16 ft. series	TK-02S-B	\$3,623.00
	18, 20, 22 ft. series	TK-03-B	\$5,192.00
	26 ,34 ,38 ft. series	TK-04-B	\$7,124.00

CRANE BRACKETS

Crane bracket kit - top models (used on single module dryers and top modules of stack dryers)	Part Number D04-0128	List Price \$174.00
Crons brookst kit bottom module (wood on bottom and middle		

Crane bracket kit - bottom module (used on bottom and middle modules of stack dryers)

D04-0157 \$63.00

WATCHDOG

Part Number		List Price
DO3-0358	Standard System (World Wide Access)	\$1995.00
DO3-0359	Short Haul (No Modem On-site Computer)	\$1995.00

STAINLESS STEEL GRAIN INVERTERS

Grain Inverter Part Number List Price (per foot of basket) Part Number \$363.00

DRYER STEEL LEG SUPPORTS

Part No for leg stand packages is LEG-(0,length of	Individual Leg Asser	mbly	
Leg)-(column length of dryer). Example: 26' long	LEG-016	16" Tall	\$49.00
	LEG-018	18" Tall	\$51.00
dryer w/ 30" legs, part number for package is LEG-	LEG-024	24" Tall	\$53.00
030-26	LEG-030	30" Tall	\$58.00
	LEG-036	36" Tall	\$61.00
	LEG-042	42" Tall	\$64.00

All leg packages include frame step assembly on front and rear.

	Leg Length					
Dryer Column Length	16"	18"	24"	30"	36"	42"
8'	\$460.00	\$472.00	\$518.00	\$552.00	\$587.00	\$644.00
10-12'	\$552.00	\$575.00	\$621.00	\$667.00	\$713.00	\$782.00
14-16'	\$656.00	\$667.00	\$725.00	\$782.00	\$828.00	\$909.00
18-20'	\$748.00	\$771.00	\$828.00	\$897.00	\$955.00	\$1,035.00
22'	\$851.00	\$874.00	\$943.00	\$1,012.00	\$1,081.00	\$1,173.00
26'	\$943.00	\$966.00	\$1,047.00	\$1,127.00	\$1,208.00	\$1,300.00
34'	\$1,162.00	\$1,185.00	\$1,288.00	\$1,380.00	\$1,495.00	\$1,587.00
38'	\$1,265.00	\$1,288.00	\$1,403.00	\$1,507.00	\$1,633.00	\$1,737.00

FRAME STEPS*

Taxa					
2 rung step assembly (extends 6" below frame) D01-1196 \$62.00	ng step assembly (extends 6" below frame) D(01-1196	Ç	\$62.00

³ rung step assembly (extends 18" below frame) D01-1197 \$82.00

SERVICE PLATFORM	
------------------	--

Service Platform		Part Number	List Price
(extra unit)	All	SP-01-04	\$2,029.00

SOFT STARTS L SERIES

	List Price		
Dryer	Model	220 Volt	460 Volt
3020L	ESS-30B3	\$8,001.00	\$5,469.00
4026L	ESS-40B3	\$10,114.00	\$5,469.00
6034L	ESS-60B3	\$1,203.00	\$6,883.00
7534L	ESS-75B3	\$11,503.00	\$8,591.00
1038L	ESS-100B3	\$12,843.00	\$8,197.00

Prices and specifications subject to change without notice. All items F. O. B. Newton, Illinois.

JUNE 28, 2004

⁴ rung step assembly (extends 30" below frame) D01-1567 \$101.00

^{*} Not needed if you have purchased a leg assembly package above.

PGC PNEUMATIC GRAIN CLEANER

Benefits of the PGC include:

Removal of light foreign material occurs at the most optimum moment, when grain is in suspension.


Removing light materials improves air flow during storage aeration.

Removing bees' wings (red dog) reduces the potential of plugged aeration floors, elevator leg boots, heads, and distributors.

Removing some foreign material increases grain quality and reduces possible dockage at the elevator. Low cost, low maintenance, high return.

GSI PGC can also be adapted to other areas of the grain system to increase the cleaning potential. Less bees' wings (red dog) and foreign matter around the drying facility results in a cleaner, more desirable working atmosphere.

Part Nun	nber Description	List Price
PGC-01	Grain Cleaner Kit	\$1,861.00
002-1338	-9 1.5 HP 1 PHASE 115/230 TEFO	C 56 \$430.00
002-1339	-7 1.5 HP 3 PHASE 230/460 TEFO	C 56 \$430.00



HP INCREASES OF AUXILIARY LOAD & UNLOAD SYSTEMS

All single phase dryers include 7.5HP auxiliaries standard. Three phase 12' and shorter dryers have 7.5HP auxiliaries standard, three phase 14' to 18' dryers have 10HP standard, and three phase 20' and larger dryers have 15HP standard.

Description	List Price
Changing from 7.5HP to 10HP - load or unload	\$350.00
Changing from 7.5HP to 15HP - load or unload	\$350.00
Changing from 10HP to 15HP - load or unload	\$350.00

Note: Upgrades are not available for all models. Consult factory if required.

Transport Kit Policy

If the transport kit will be kept longer than the stated terms of the invoice, payment needs to be received. Upon return of the kit, credit will be issued. If payment is not made, a 1% per month finance charge will be the responsibility of the dealer. When returning the kit please include the invoice number the kit was billed on. This will help establish the credit more quickly.

Dryer Trailers

Allowable length 45' 0" Any combinations to = 45' 0"

Dryer Hauling Lengths

Length
14' 9"
16' 9"
18' 9"
20' 9"
22' 9"
24' 9"
26' 9"
28' 9"
32' 9"
40' 9"
44' 9"

Light kits are available for \$200.00 credit upon return only. We would like to encourage our dealers selling several dryers per year to purchase a set of kits.

Cancellations or Changes

\$100.00 is charged to an order for any change made during production and \$1000.00 charge is issued for a dryer order cancellation during production.

Fuel Surcharges

Due to the rising cost of diesel fuel, beginning Monday April 19th, 2004, we are implementing a fuel surcharge that will be added to our base delivery freight charges. The fuel surcharge will be based on the U.S. Department of Energy's weekly national average for diesel fuel. This information can be viewed on their web site: http://tonto.eia.doe.gov/oog/info/wohdp/diesel.asp. The average price per gallon of fuel this week was \$1.679/gallon, which equates to a 6% surcharge. These prices are adjusted and posted each Monday and we will adjust our rate accordingly. Following is a chart of surcharge percentages related to diesel fuel pricing:

Price	Surcharge		
1.10	to	1.199	1%
1.20	to	1.299	2%
1.30	to	1.399	3%
1.40	to	1.499	4%
1.50	to	1.599	5%
1.60	to	1.699	6%
1.70	to	1.799	7%
1.80	to	1.899	8%
1.90	to	1.999	9%

Dryer Freight Charges

The following freight rates apply to GSI dryer shipments from Newton, Illinois:

Pulled Dryers - For 18' or shorter dryer baskets, the delivery of a single pulled dyer will be \$1.55 per mile. For pulled dryers longer than 18' basket, the delivery charge will be \$2.10 per mile. (The recommended transport kit will be required on all pulled dryers)

Hauled Dryers - The delivery of any hauled dryer or dryers to a single dealership will be \$2.10 per mile per trailer load. (Note: Two dryers with a total basket length of 36' or less can be hauled on the GSI dryer trailer. Three dryers with a total basket length of 30' or less can be hauled on the GSI dryer trailer)

Hauled Dryers, Split Loads Between Different Dealers 150 Mile Radius of Each - The delivery of a dryer(s) combined with another dryer(s) from a different dealer will be \$1.25 per mile per dealership. (Note: Two dryers with a total basket length of 36' or less can be hauled on the GSI dryer trailer. Three dryers with a total basket length of 30' or less can be hauled on the GSI dryer trailer)