

GSI GROUP



VISION

Network Dryer Control



2007

GSI Drying Systems Portable Dryer and "T" Series Tower Dryer Price List

Effective: July 16, 2007



Transport Kit Policy

If the transport kit will be kept longer than the stated terms of the invoice, payment needs to be received. Upon return of the kit, credit will be issued. If payment is not made, a 1% per month finance charge will be the responsibility of the dealer. **When returning the kit GSI must have an RMA (return) number in order to process the credit.** Light kits are required to pull dryers and are not provided.

Additional Items

Hauling Additional items such as air systems and other accessories on dryer trailer must be pre-approved by the Newton Shipping Office. Shipping Items that will not fit on the dryer trailer will not be the responsibility of GSI

Cancellations or Changes

\$300.00 minimum or time and materials (which ever is greater) is charged to an order for any change made during production and \$2000.00 charge is issued for a dryer order cancellation during production.

Fuel Surcharges

The fuel surcharge will be based on the U.S. Department of Energy's weekly national average for diesel fuel. This information can be viewed on their web site: <http://tonto.eia.doe.gov/oog/info/wohdp/diesel.asp>. These prices are adjusted and posted each Monday and we will adjust our rate accordingly. Following is a chart of surcharge percentages related to diesel fuel pricing:

Dryer Trailers

Allowable length 42' 0"
Any combinations to = 42' 0"

Dryer Hauling Lengths

Model Length	Length
8	14' 9"
12	18' 9"
14	20' 9"
16	22' 9"
18	24' 9"
20	26' 9"
22	28' 9"
26	32' 9"
34	40' 9"
38	44' 9"

Price per Gallon Fuel			Surcharge
2.80	to	2.899	18%
2.90	to	2.999	19%
3.00	to	3.099	20%
3.10	to	3.199	21%
3.20	to	3.299	22%
3.30	to	3.399	23%
3.40	to	3.499	24%
3.50	to	3.599	25%
3.60	to	3.699	26%
3.70	to	3.799	27%

Dryer Freight Charges

The following freight rates apply to GSI dryer shipments from Newton, Illinois:

Pulled Dryers - The delivery of a single module pulled dryer (any length) will be \$2.60 per mile (plus fuel surcharge). (The recommended transport kit will be required on all pulled dryers)

Hauled Dryers - The delivery of any hauled dryer or dryers to a single dealership will be \$2.70 per mile (plus fuel surcharge) per trailer load. (Note: Two dryers with a total basket length of 34' or less can be hauled on the GSI dryer trailer. Three dryers with a total basket length of 28' or less can be hauled on the GSI dryer trailer. 26' dryers cannot be combined with any length)

Hauled Dryers, Split Loads Between Different Dealers 150 Mile Radius of Each - The delivery of a dryer(s) combined with another dryer(s) from a different dealer will be \$1.60 per mile (plus fuel surcharge) per dealership. (Note: Two dryers with a total basket length of 34' or less can be hauled on the GSI dryer trailer. Three dryers with a total basket length of 30' or less can be hauled on the GSI dryer trailer)

Portable and T Dryer Price List

100 Series Pricing

All screens, augers, bearings and sheet metal parts are the same as the 1100 Series dryers.
Only the electronic controls are different.

All dryers now have same basket profile (108 is now taller)

Full heat continuous flow or auto batch

Dry and cool auto batch

Full safety control system

See through control panel door

Load and unload auxiliary starters

Waterproof controls

Solid state ignition

Externally adjustable vaporizers

Low speed vane axial fans with Blue Burn System on LP models

Internal and external meter roll cleanout

Heavy duty meter rolls and drive

Solid dividers, every two feet

Galvanized fan housing, control cabinet and auger housing

Perforated wet bin standard on all models




Model Number	Electrical Power		Fuel	List Price	Approx Dryer Wt	Wet Bushels Full Heat		Wet Bushels Dry & Cool	
	Phase	Voltage				10 pt.*	5 pt.*	10 pt.*	5 pt.*
108	1 or 3	ALL	ALL	\$38,100.00	4,300 lbs.	260	420	165	220
112	1 or 3	ALL	ALL	\$42,900.00	6,300 lbs.	335	525	205	270
114	1 or 3	ALL	ALL	\$48,600.00	7,000 lbs.	390	610	245	320
116	1 or 3	ALL	ALL	\$53,000.00	7,500 lbs.	440	710	280	370
118	3	ALL	ALL	\$58,800.00	8,000 lbs.	505	815	320	430
120	3	ALL	ALL	\$63,000.00	8,700 lbs.	560	905	360	475
122	3	ALL	ALL	\$70,700.00	9,500 lbs.	610	990	390	520
126	3	ALL	ALL	\$80,800.00	11,000 lbs.	715	1,155	455	605

* Measured in wet bushels per hour (BPH)

Add \$4000 list for GSI Moisture Manager Control when ordered with Dryer.

For CGA approval on above models add \$1100 list

For small grain perforations (0.050") add 2% to list price of dryer



100 Series

Prices and specifications subject to change without notice. All items F. O. B. Newton, Illinois.
July 16, 2007

1100 Series Pricing

Portable and T Dryer Price List

All dryers now have same basket profile (108 is now taller)

VISION Network Control System

Integrated Moisture Control

Touch Screen Controls

Fan/Heater bypass

Every shutdown monitored and saved in the error shutdown history

Out of Grain--Unload Cleanout

Full heat continuous flow or auto batch

Remote capable control center

See through control panel door

Load and unload auxiliary starters

Low speed vane axial fans with Blue Burn System

Solid state ignition

Externally adjustable vaporizers

Internal and external meter roll cleanout

Heavy duty meter rolls and drive

Solid dividers, every two feet

Perforated wet bin standard

Waterproof controls




Model Number	Electrical Power		Fuel	List Price	Approx Dryer Wt	Wet Bushels Full Heat		Wet Bushels Dry & Cool	
	Phase	Voltage				10 pt.*	5 pt.*	10 pt.*	5 pt.*
1108	1 or 3	ALL	ALL	\$46,600.00	4,300 lbs.	260	420	165	220
1112	1 or 3	ALL	ALL	\$51,400.00	6,300 lbs.	345	560	220	290
1114	1 or 3	ALL	ALL	\$57,100.00	7,000 lbs.	405	650	260	340
1116	1 or 3	ALL	ALL	\$61,500.00	7,500 lbs.	440	710	280	370
1118	3	ALL	ALL	\$67,300.00	8,000 lbs.	505	815	320	430
1120	3	ALL	ALL	\$71,500.00	8,700 lbs.	560	905	360	475
1122	3	ALL	ALL	\$79,200.00	9,500 lbs.	610	990	390	520
1126	3	ALL	ALL	\$89,300.00	11,000 lbs.	715	1,155	455	605

* Measured in wet bushels per hour (BPH)

Printer is optional w/ GSI VISION Network Control add \$1950 List for printer

For CGA approval on above models add \$1100 list

For small grain perforations (0.050") add 2% to list price of dryer



1100 Series

VISION Network Control System

Integrated Moisture Control

Touch Screen Controls

All temps set at main control box

Watchdog remote monitoring system capable

Fan/Heater bypass

Every shutdown monitored and saved in the error shutdown history

Continuous flow or staged batch

Out of Grain--Unload Cleanout

Easily remoteable control center

Load and unload auxiliary starters

Galvanized fan housing, control cabinet and auger housing

Low speed vane axial fans, LP models have the exclusive "Blue Burn System"

Solid state ignition and flame sensing

Externally adjustable vaporizers


Internal and external meter roll cleanout

Heavy duty meter rolls and drive


Solid dividers, every two feet

Perforated wet bin standard

Waterproof controls



1200 Series



1200S Series

1200 SERIES

Model Number	Electrical Power		Fuel	List Price	Approx Dryer Wt	Wet Bushels Full Heat		Wet Bushels Dry & Cool	
	Phase	Voltage				10 pt.*	5 pt.*	10 pt.*	5 pt.*
1214	1 or 3	ALL	LP or NG	\$68,600.00	7,600 lbs.	415	680	250	400
1216	1 or 3	ALL	LP or NG	\$73,100.00	8,200 lbs.	475	765	290	465
1218	1 or 3	ALL	LP or NG	\$80,700.00	9,000 lbs.	520	840	315	505
1220	1 or 3	ALL	LP or NG	\$86,700.00	9,800 lbs.	590	950	345	560
1222	3	ALL	LP or NG	\$93,900.00	10,500 lbs.	650	1,055	395	640
1226	3	ALL	LP or NG	\$107,800.00	12,000 lbs.	730	1,180	450	725

1200S SERIES

1214S	1 or 3	ALL	LP or NG	\$80,100.00	9,500 lbs.	381	680	220	325
1218S	1 or 3	ALL	LP or NG	\$92,100.00	11,500 lbs.	520	840	240	385
1220S	1 or 3	ALL	LP or NG	\$98,000.00	14,500 lbs.	590	950	280	425
1222S	1 or 3	ALL	LP or NG	\$105,300.00	15,500 lbs.	650	1,055	300	485
1226S	3	ALL	LP or NG	\$119,200.00	18,500 lbs.	730	1,180	375	600

* Measured in wet bushels per hour (BPH)


Printer is optional w/ GSI VISION Network Control add \$1950 List for printer

For CGA approval on 1200 and 1200S models add \$2200 list


For small grain perforations (0.050") add 2% to list price of dryer

L Series Specifications

Portable and T Dryer Price List




4020L



6034L

Models	3020L	4026L	6034L	7534L	1038L
Dimensions - Include 29" fold-up wet bin					
Transport Length	29' 2"	35' 2"	43' 2"	43' 2"	47' 2"
Transport Width	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"
Transport Height	12' 10"	12' 10"	12' 10"	12' 10"	12' 10"
Installed Length	33' 3"	39' 3"	48' 9"	48' 9"	52' 9"
Installed Width	8' 0"	8' 0"	11' 0"	11' 0"	11' 0"
Width w/ heat reclaimer	11' 0"	11' 0"	11' 0"	11' 0"	11' 0"
Installed Height	17' 10"	17' 10"	17' 10"	17' 10"	17' 10"
Fans	CENTRIFUGAL	CENTRIFUGAL	CENTRIFUGAL	CENTRIFUGAL	CENTRIFUGAL
	30 HP	40 HP	60 HP	75 HP	100 HP
Heater(s) BTU/HR(MM)	7	9	12	12	12
Augers					
Top Auger (HP/BPH)	7.5 HP/2800	10 HP/2800	10 HP/2800	10 HP/2800	15 HP/2800
Bottom Auger (HP/BPH)	7.5 HP/1360	7.5 HP/1770	10 HP/2315	10 HP/2315	10 HP/2585
Metering Roll Drive	1/3 HP DC SCR	1/3 HP DC SCR	1/3 HP DC SCR	1/3 HP DC SCR	1/3 HP DC SCR
Electrical Load(MRA)	Excludes auxiliary load and unload equipment amps				
Three Phase 230 Volt	117	155	205	240	310
Three Phase 460 Volt	59	78	103	120	155
Holding Capacity (Total)	595	775	1010	1010	1129
Holding Capacity (Column)	460	600	781	781	873



7534L



1038L

Portable and T Dryer Price List

L Series Pricing

VISION Network Control System

Integrated Moisture Control

Touch Screen Controls

HI-LO Plenum Temperature control

Out of Grain--Unload Cleanout

Pressure Dry/Vacuum Cool, Full heat continuous flow or Pressure Dry/Pressure Cool drying modes

Load and unload auxiliary starters

Extremely Quiet Low speed Centrifugal fan

Solid state ignition


Externally adjustable vaporizers

Internal and external meter roll cleanout

Heavy duty 4" meter rolls and variable speed drive

Solid dividers, every two feet

Perforated 13" **wet bin standard**



3020L


Model Number	Electrical Power		Fuel	Column Length	List Price	Approx Dryer Wt	Wet Bushels Full Heat		Wet Bushels Pressure		Wet Bushels Vacuum	
	Phase	Voltage					10 pt.*	5 pt.*	10 pt.*	5 pt.*	10 pt.*	5 pt.*
3020L	3	ALL	ALL	20	\$116,100.00	11,500 lbs.	550	945	332	573	350	595
4026L	3	ALL	ALL	26	\$139,800.00	13,700 lbs.	720	1220	431	745	455	774
6034L	3	ALL	ALL	34	\$163,000.00	18,500 lbs.	940	1610	563	973	585	1010
7534L	3	ALL	ALL	34	\$164,300.00	18,600 lbs.	980	1680	589	1017	620	1070
1038L	3	ALL	ALL	38	\$171,300.00	20,200 lbs.	1100	1900	668	1155	700	1210

* Measured in wet bushels per hour (BPH)

Printer is optional w/ GSI VISION Network Control add \$1950 List for printer

For CGA approval on above add \$1100 list.

For small grain perforations (0.050") add 2% to list price of dryer



L Series Dryers

STACKABLE SERIES MODELS

2300 SERIES

Model Number	Electrical Power		Fuel	List Price	Approx Dryer Wt	Wet Bushels Full Heat		Wet Bushels Dry & Cool	
	Phase	Voltage				10 pt.*	5 pt.*	10 pt.*	5 pt.*
2314	1 or 3	ALL	LP or NG	\$114,800.00	16,000 lbs.	900	1,455	615	995
2318	3	ALL	LP or NG	\$131,900.00	19,000 lbs.	1,120	1,805	770	1,235
2320	3	ALL	LP or NG	\$146,000.00	21,000 lbs.	1,245	2,010	850	1,375
2322	3	ALL	LP or NG	\$153,500.00	22,500 lbs.	1,355	2,195	930	1,500
2326	3	ALL	LP or NG	\$172,400.00	25,000 lbs.	1,670	2,700	1,130	1,835

3400 SERIES

3414	1 or 3	ALL	LP or NG	\$171,100.00	23,000 lbs.	1,355	2,190	840	1,340
3418	3	ALL	LP or NG	\$200,800.00	26,500 lbs.	1,680	2,720	1,035	1,665
3420	3	ALL	LP or NG	\$217,300.00	29,500 lbs.	1,825	2,950	1,120	1,800
3422	3	ALL	LP or NG	\$231,300.00	30,500 lbs.	2,040	3,300	1,250	2,015
3426	3	ALL	LP or NG	\$259,600.00	35,000 lbs.	2,475	4,000	1,520	2,445

Printer is optional w/ GSI VISION Network Control add \$1950 List for printer


Pedestal Bases for Stack Stiffner Supports included in List Price of Dryer.

Standard on all Stack Dryers.
D01-1100** 36" Base Unit
LEG-036*** 36" Tall Leg

Available for all Stack Dryers
D01-1104** 18" Base Unit
LEG-018*** 18" Tall Leg

**6 required on 12' & 14' series.
8 required on 18' series
10 required on 20' & 22' series.
12 required on 26' series.

***4 required on 14', 18', 22' & 26'
2 required on 12' & 20' series.



2300 Series

3400 Series

For CGA approval on 2300 add \$3300 list, add \$4400 for 3400

For small grain perforations (0.050") add 2% to list price of dryer

Portable and T Dryer Price List

Portable Options Pricing

STAINLESS STEEL TRASH PAN

Part Number		List Price
TP-08	Trash Pan Kit, 8' Dryer	\$460.00
TP-12	Trash Pan Kit, 12' Dryer	\$660.00
TP-14	Trash Pan Kit, 14' Dryer	\$970.00
TP-16	Trash Pan Kit, 16' Dryer	\$1,080.00
TP-18	Trash Pan Kit, 18' Dryer	\$1,170.00
TP-20	Trash Pan Kit, 20' Dryer	\$1,280.00
TP-22	Trash Pan Kit, 22' Dryer	\$1,590.00
TP-26	Trash Pan Kit, 26' Dryer	\$1,790.00
TP-34	Trash Pan Kit, 34' Dryer	\$2,340.00
TP-38	Trash Pan Kit, 38' Dryer	\$2,610.00

WET BIN

	Dryer Length	Galvanized Steel List Price	Stainless Steel List Price	Additional Price For Stainless Wet Bin on Dryers With Wet Bin
All dryers are equipped with 13" Low Profile wet bins as standard equipment. To price with a standard top please deduct the galvanized steel list price from price of dryer. Wet Bin prices are in lieu of standard top.	8 ft.	\$954.00	\$3,085.00	\$2,131.00
	12 ft.	\$1,431.00	\$4,625.00	\$3,194.00
	14 ft.	\$1,669.00	\$5,400.00	\$3,731.00
	16 ft.	\$1,908.00	\$6,170.00	\$4,262.00
	18 ft.	\$2,146.00	\$6,999.00	\$4,853.00
	20 ft.	\$2,384.00	\$7,710.00	\$5,326.00
	22 ft.	\$2,622.00	\$8,490.00	\$5,868.00
	26 ft.	\$3,100.00	\$10,020.00	\$6,920.00
	34 ft.	\$4,053.00	\$13,100.00	\$9,047.00
	38 ft.	\$4,529.00	\$14,650.00	\$10,121.00

29" wet bin is available. List price for Galvanized is \$105.00 additional per foot of basket. List price for Stainless is \$188.00 additional per foot of basket.

STAINLESS STEEL PRICING

Model	Column Length	All Outside Screens	Top Outside Only	Top & Sides Outside Only	*Rice Option All Inside & Outside Screens
108	8	\$4,600.00	\$1,240.00	\$2,240.00	\$8,320.00
112	12	\$6,600.00	\$1,850.00	\$3,990.00	\$9,870.00
114, 1214, 1214S	14	\$7,600.00	\$2,180.00	\$4,690.00	\$14,570.00
116, 1216	16	\$8,600.00	\$2,480.00	\$5,360.00	\$16,670.00
118, 1218, 1218S	18	\$9,600.00	\$2,780.00	\$6,020.00	\$18,720.00
120, 1220, 1220S, 3020L	20	\$10,600.00	\$3,110.00	\$6,710.00	\$20,830.00
122, 1222, 1222S	22	\$11,600.00	\$3,410.00	\$7,370.00	\$22,890.00
126, 1226, 1226S, 4026L	26	\$13,600.00	\$4,030.00	\$8,720.00	\$27,030.00
6034L, 7534L	34	\$21,600.00	\$5,240.00	\$11,350.00	\$35,270.00
1038L	38	\$25,600.00	\$5,860.00	\$12,680.00	\$39,420.00
		Complete	Partial 1	Partial 2	
2314	14	\$15,600.00	\$9,600.00		\$29,320.00
2318	18	\$18,600.00	\$12,320.00		\$37,680.00
2320	20	\$21,600.00	\$13,720.00		\$41,860.00
2322	22	\$24,600.00	\$15,100.00		\$46,230.00
2326	26	\$27,600.00	\$17,820.00		\$54,590.00
3414	14	\$24,600.00		\$12,130.00	\$44,680.00
3418	18	\$27,600.00		\$15,580.00	\$56,900.00
3420	20	\$31,600.00		\$17,320.00	\$63,250.00
3422	22	\$32,600.00		\$19,060.00	\$69,560.00
3426	26	\$40,600.00		\$22,520.00	\$82,160.00

Partial 1: All outside screens of top module and top outside angle of bottom module.

Partial 2: All outside screens of top module and top and side outside screens of middle module.

Small grain perforations (0.050") not available in stainless steel. *GSI recommends this option for drying rice.

Prices and specifications subject to change without notice. All items F. O. B. Newton, Illinois.

July 16, 2007

Portable Accessories

Portable and T Dryer Price List

GRAIN SAMPLER

Item
Grain Sampler
(Standard on new dryer)

Part Number
420-2349-9-A

List Price
\$65.00

HEAT RECLAIMER

	Dryer	Part Number	List Price
1200 Series	14 ft.	1214-HR01	\$7,550.00
	16 ft.	1216-HR01	\$7,840.00
	18 ft.	1218-HR01	\$8,070.00
	20 ft.	1220-HR01	\$8,340.00
	22 ft.	1222-HR01	\$8,650.00
	26 ft.	1226-HR01	\$10,260.00
2000 Series	14 ft.	2014-HR01	\$16,720.00
	18 ft.	2018-HR01	\$18,740.00
	20 ft.	2020-HR01	\$19,710.00
	22 ft.	2022-HR01	\$20,670.00
	26 ft.	2026-HR01	\$22,610.00
3000 Series	14 ft.	3014-HR01	\$22,460.00
	18 ft.	3018-HR01	\$24,750.00
	20 ft.	3020-HR01	\$25,840.00
	22 ft.	3022-HR01	\$27,080.00
	26 ft.	3026-HR01	\$29,230.00
L Series (Vacuum Cool Only)	20 ft.	HR-3020L	\$3,860.00
	26 ft.	HR-4026L	\$4,640.00
	34 ft.	HR-6034L	\$5,460.00
	38 ft.	HR-1038L	\$10,720.00

NOISE SUPPRESSOR KIT

Dryer	Part Number	List Price
108, 112, 114, 116, 118, 120, 122, 126	1100-NS01	\$1,770.00
1214, 1216, 1218, 1220, 1222, 1226	1200-NS01	\$3,300.00
12, 14, 18, 20, 22, & 26 ft. stacked series	1200S-NS01	\$5,940.00
	2000-NS01	\$9,970.00
	3000-NS01	\$14,070.00
All Multi Fan Models With Heat Reclaimer	1200-NSHR	\$1,980.00
	2000-NSHR	\$5,720.00
	3000-NSHR	\$9,820.00

REMOTE MOUNTING CONTROL BOX

Wiring to remote mount Vision or Competitor	List Price
Control box (Bottom box Only)	\$15.00 per foot

MOISTURE MANAGER

Part Number		List Price
DO4-0379	Moisture control when purchased separately for retrofit. Includes printer and Sampler	\$6050.00

July 16, 2007

SHRINK WRAP
For Dryer Transport

Column Length	Part Number	Net Price After Cash
8'-10'	SHRINK-10	\$248.00
12'-18'	SHRINK-18	\$386.00
20'-26'	SHRINK-26	\$524.00
34'-38'	SHRINK-38	\$726.00

DISCHARGE AUGER EXTENSION

10" Diameter Tube	Part Number	List Price
2'	CD-AE02A	\$574.00
4'	CD-AE04A	\$772.00
6'	CD-AE06A	\$947.00
8'	CD-AE08A	\$1,145.00
Fill Extension	MF-AE02L	\$733.00
Discharge Box Bypass In lieu of Standard	D01-1172	\$61.00
Front Fill Option		\$50.00
Front Discharge Standard (discharges under fans)		\$300.00
Front Discharge Thru-Hitch (extends through front hitch) 6' minimum discharge extension is required, but not included.		\$500.00

TRANSPORT KITS

Model	Part Number	List Price
8 ft. series	TK-01-B	\$2,270.00
12 ft. series	TK-02-B	\$3,870.00
14, 16 ft. series	TK-02S-B	\$4,000.00
18, 20, 22 ft. series	TK-03-B	\$5,730.00
26 ,34 ,38 ft. series	TK-04-B	\$7,860.00

CRANE BRACKETS

Crane bracket kit - top models (used on single module dryers and top modules of stack dryers)	Part Number D04-0128	List Price \$193.00
Crane bracket kit - bottom module (used on bottom and middle modules of stack dryers)	D04-0157	\$70.00

WATCHDOG

Part Number		List Price
D03-0358	Standard System (World Wide Access)	\$1995.00
D03-0359	Short Haul (No Modem On-site Computer)	\$1995.00

STAINLESS STEEL GRAIN INVERTERS

Grain Inverter (per foot of basket)	Part Number	List Price
	D01-1490S	\$599.00

Prices and specifications subject to change without notice. All items F. O. B. Newton, Illinois.
July 16, 2007

DRYER STEEL LEG SUPPORTS

Part No for leg stand packages is LEG-(0,length of Leg)-(column length of dryer). Example: 26' long dryer w/ 30" legs, part number for package is LEG-030-26

Individual Leg Assembly

LEG-016	16" Tall	\$55.00
LEG-018	18" Tall	\$57.00
LEG-024	24" Tall	\$59.00
LEG-030	30" Tall	\$64.00
LEG-036	36" Tall	\$68.00
LEG-042	42" Tall	\$71.00

All leg packages include frame step assembly on front and rear.

Dryer Column Length	Leg Length					
	16"	18"	24"	30"	36"	42"
8'	\$508.00	\$521.00	\$572.00	\$609.00	\$647.00	\$710.00
12'	\$609.00	\$635.00	\$685.00	\$735.00	\$787.00	\$863.00
14-16'	\$724.00	\$735.00	\$800.00	\$863.00	\$913.00	\$1,002.00
18-20'	\$825.00	\$851.00	\$913.00	\$990.00	\$1,054.00	\$1,142.00
22'	\$939.00	\$964.00	\$1,040.00	\$1,117.00	\$1,192.00	\$1,294.00
26'	\$1,040.00	\$1,065.00	\$1,154.00	\$1,243.00	\$1,332.00	\$1,434.00

L-SERIES LEG EXTENSIONS

L-Series Dryers are equipped with 24" Legs Standard. L-Series Leg Extensions include extension for fan housing.

Dryer Column Length	Leg Length		
	30"	36"	48"
20'	\$92.00	\$182.00	\$356.00
26'	\$112.00	\$222.00	\$437.00
34'	\$129.00	\$259.00	\$517.00
38'	\$129.00	\$259.00	\$517.00

FRAME STEPS*

To be used to extend ladder on front of non stack dryers for access to fan when dryer is on legs.

2 rung step assembly (extends 6" below frame)	D01-1196	\$69.00
3 rung step assembly (extends 18" below frame)	D01-1197	\$91.00
4 rung step assembly (extends 30" below frame)	D01-1567	\$112.00

* Not needed if you have purchased a leg assembly package above.

SERVICE PLATFORM

Service Platform (extra unit)	Part Number	List Price
All	SP-01-04	\$2,240

SOFT STARTS L SERIES

Dryer	Model	List Price	
		220 Volt	460 Volt
3020L	ESS-30B3	\$8,822.00	\$6,030.00
4026L	ESS-40B3	\$11,151.00	\$6,030.00
6034L	ESS-60B3	\$1,327.00	\$7,589.00
7534L	ESS-75B3	\$12,682.00	\$9,473.00
1038L	ESS-100B3	\$14,160.00	\$9,038.00

July 16, 2007

PGC PNEUMATIC GRAIN CLEANER

Benefits of the PGC include:

Removal of light foreign material occurs at the most optimum moment, when grain is in suspension.

Removing light materials improves air flow during storage aeration.

Removing bees' wings (red dog) reduces the potential of plugged aeration floors, elevator leg boots, heads, and distributors.


Removing some foreign material increases grain quality and reduces possible dockage at the elevator.

Low cost, low maintenance, high return.

GSI PGC can also be adapted to other areas of the grain system to increase the cleaning potential.

Less bees' wings (red dog) and foreign matter around the drying facility results in a cleaner, more desirable working atmosphere.

Part Number	Description	List Price
PGC-01-GSI	Grain Cleaner Kit	\$3,250.00
002-1338-9	1.5 HP 1 PHASE 115/230 TEFC 56	\$423.00
002-1339-7	1.5 HP 3 PHASE 230/460 TEFC 56	\$415.00



AUTOMATIC ELECTRIC SHUT-OFF VALVE

Model No.	Description	List Price
D28-0001	LP 3/4" Automatic Electric Shut-off Valve	\$2,352.00
031-1063-2	NG 1-1/2" Automatic Electric Shut-off Valve	\$1,136.00

These are hand operated electric valves that are used on the incoming gas supply, where desired or required by code. Standard equipment on all Stack and Centrifugal Fan Grain Dryers.

HP INCREASES OF AUXILIARY LOAD & UNLOAD SYSTEMS

All single phase dryers include 7.5HP auxiliaries standard. Three phase 12' and shorter dryers have 7.5HP auxiliaries standard, three phase 14' to 18' dryers have 10HP standard, and three phase 20' and larger dryers have 15HP standard.

Description	List Price
Changing from 7.5HP to 10HP - load or unload	\$350.00
Changing from 7.5HP to 15HP - load or unload	\$350.00
Changing from 10HP to 15HP - load or unload	\$350.00

Note: Upgrades are not available for all models. Consult factory if required.

T-Series Prices

Portable and T Dryer Price List

Continuous Flow Dry and Vacuum Cool mode for maximum efficiency

VISION Network Control System

Integrated Moisture Control

Touch Screen Controls

Every shutdown monitored and saved in the error shutdown history

See through control panel door

Solid state ignition

Waterproof controls

Out of Grain--Unload Cleanout

Remote capable control center

Grain Inverters included in 1575 thru 24100 model dryers

Each dryer requires 1 truckload of freight

Model Number	Electrical Power		Fuel	Exterior		Capacity (BPH)**	
	Phase	Voltage		Catwalks	List Price	5 Point	10 Point
1050	3	230	NG	0	\$140,500	1000	600
1050	3	230	LP*	0	\$143,000	1000	600
1050	3	460	NG	0	\$136,400	1000	600
1050	3	460	LP*	0	\$138,800	1000	600
1260	3	230	NG	0	\$151,600	1200	720
1260	3	230	LP*	0	\$154,100	1200	720
1260	3	460	NG	0	\$147,400	1200	720
1260	3	460	LP*	0	\$149,900	1200	720
1575	3	230	NG	1	\$189,000	1500	900
1575	3	230	LP*	1	\$196,400	1500	900
1575	3	460	NG	1	\$183,000	1500	900
1575	3	460	LP*	1	\$190,300	1500	900
1875	3	230	NG	2	\$214,300	1800	1080
1875	3	230	LP*	2	\$221,600	1800	1080
1875	3	460	NG	2	\$207,800	1800	1080
1875	3	460	LP*	2	\$215,200	1800	1080
20100	3	230	NG	2	\$224,100	2000	1200
20100	3	230	LP*	2	\$231,400	2000	1200
20100	3	460	NG	2	\$216,000	2000	1200
20100	3	460	LP*	2	\$223,300	2000	1200
24100	3	230	NG	3	\$237,800	2400	1440
24100	3	230	LP*	3	\$245,100	2400	1440
24100	3	460	NG	3	\$229,700	2400	1440
24100	3	460	LP*	3	\$237,000	2400	1440

LP pricing includes the price on an internal vaporizer and high pressure regulator.

Capacity measured in wet bushels.

Optional Equipment

Grain Inverters 1050-1260**	\$6,380	Soft-Start - 1575/230v	\$8,285
Roof Walkway	\$578	Soft-Start - 1575/230v	\$8,285
Outside Catwalk	\$3,696	Soft-Start - 1575/460v	\$6,993
SS Grain Floor	\$5,725	Soft-Start - 1875/230v	\$8,285
Printer	\$2,048	Soft-Start --1875/460v	\$6,993
Soft-Start - 1050/230v	\$6,384	Soft-Start - 20100/230v	\$8,285
Soft-Start - 1050/460v	\$5,082	Soft-Start - 20100/460v	\$6,993
Soft-Start - 1260/230v	\$7,455	Soft-Start - 24100/230v	\$8,285
Soft-Start - 1260/460v	\$5,198	Soft-Start - 24100/460v	\$6,993

Standard blower starting is across-the-line @ 460v and part-winding @ 230v. Electronic soft-starters may be required by the power company in certain locations.

**Adding Grain Inverters to 1050 or 1260 Dryer increases dryer overall height by 40"

July 16, 2007

DEALER NET ERECTION LABOR PRICING


	Erection and Wiring	Construction Zone Additions		
		Zone II	Zone III	Zone IV
Model	Labor	250-499 miles	500-749 miles	750 + miles
1050	\$16,200	\$1,340	\$2,270	\$3,090
1260	\$18,100	\$1,340	\$2,270	\$3,090
1575	\$19,800	\$1,340	\$2,270	\$3,090
1875	\$23,300	\$1,340	\$2,270	\$3,090
20100	\$25,000	\$1,340	\$2,270	\$3,090
24100	\$28,100	\$1,340	\$2,270	\$3,090


T-SERIES TOWER DRYER SPECIFICATIONS

MODELS	1050	1260	1575	1875	20100	24100
Blower Size	43" Axial	43" Axial	8490	8542	8542	8600
Blower Rpm	1750	1750	1035	856	981	818
Blower Hp	50	60	75	75	100	100
Metering Hp	1	1	1	1	1	1
Drying Cfm	42,300	48,400	77,100	81,800	98,600	108,300
Cooling Cfm	14,500	17,500	38,550	40,900	49,300	54,150
Burner	11,100	11,100	16,654	17,669	21,298	23,393
Capacity (mBtu)						
Average	5,711	6,534	9,576	10,159	12,246	13,451
Heat Use (mBtu)						
Grain Column	12-3/4"	12-3/4"	12-3/4"	12-3/4"	12-3/4"	12-3/4"
Tower Diameter	12'-0"	12'-0"	12'-0"	12'-0"	12'-0"	12'-0"
Overall Height	45'-8"	52'-4"	59'-0"	69'-0"	75'-8"	85'-8"
Wet Holding (bu)	302	302	302	302	302	302
Heat Holding (bu)	610	756	914	1158	1256	1499
Cool Holding (bu)	219	268	305	354	451	500
Dryer Holding (bu)	1232	1427	1622	1915	2110	2401
Outside Catwalks	0	0	1	2	2	3
BPH	1000	1200	1500	1800	2000	2400
(20% - 15%)						
BPH	600	720	900	1080	1200	1440
(25% - 15%)						


Prices and specifications subject to change without notice. All items F. O. B. Newton, Illinois.


July 16, 2007






Prices and specifications subject to change without notice. All items F. O. B. Newton, Illinois.
July 16, 2007





Prices and specifications subject to change without notice. All items F. O. B. Newton, Illinois.
July 16, 2007





Prices and specifications subject to change without notice. All items F. O. B. Newton, Illinois.
July 16, 2007

G S I G R O U P



1004 E. Illinois St., Box 20
Assumption, IL 62510-0020
phone: 217-226-4421
fax: 217-226-4498
toll free fax: 800-353-8306
www.grainsystems.com

